

PRODUCT SHEET

NINIX LOUNGE 100 ONE SEATER

REF: NNXL 100 T

Royal Botania^{.com}
Belgian outdoor luxury

TECHNICAL INFO

DIMENSIONS

Width 83 cm / 33 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



25,7 kg / 56,7 Lbs

PACKAGING

This item is carefully packed per piece.



0.55 m³ - 19,4 Cbft

MAINTENANCE

<http://www.royalbotania.com/maintenance>

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL
(optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

- Optional teak armrests
- Cushions

CUSHIONS

<http://www.royalbotania.com/cushions>



PRODUCT SHEET

NINIX LOUNGE 160 BENCH MODULE

REF: NNXL 160 ...

Royal Botania^{.com}
Belgian outdoor luxury

TECHNICAL INFO

DIMENSIONS

Width 154 cm / 61 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



46,8 kg / 103,2 Lbs

PACKAGING

This item is carefully packed per piece.



1,04 m³ - 36,7 Cbft

MAINTENANCE

<http://www.royalbotania.com/maintenance>

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL
(optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

- Optional teak armrests
- Cushions

CUSHIONS

<http://www.royalbotania.com/cushions>



PRODUCT SHEET

NINIX LOUNGE 240 BENCH MODULE

REF: NNXL 240 T

Royal Botania^{.com}
Belgian outdoor luxury

TECHNICAL INFO

DIMENSIONS

Width 233 cm / 90 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



68,1 kg / 150,1 Lbs

PACKAGING

This item is carefully packed per piece.



1,54 m³ - 54,4 Cbft

MAINTENANCE

<http://www.royalbotania.com/maintenance>

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL
(optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

- Optional teak armrests
- Cushions

CUSHIONS

<http://www.royalbotania.com/cushions>



PRODUCT SHEET

NINIX LOUNGE 80 FOOTREST

REF: NNXL 80F

Royal Botania^{.com}
Belgian outdoor luxury

TECHNICAL INFO

DIMENSIONS

Width 75 cm / 30 inch
Depth 75 cm / 30 inch
Height 45 cm / 18 inch



14,9 kg / 32,9 Lbs

PACKAGING

This item is carefully packed per piece.



0.17 m³ - 6,0 Cbft

MAINTENANCE

<http://www.royalbotania.com/maintenance>

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL
(optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

Cushions

CUSHIONS

<http://www.royalbotania.com/cushions>



PRODUCT SHEET

NINIX LOUNGE 80 LOUNGE MODULE

REF: NNXL 80

Royal Botania^{.com}
Belgian outdoor luxury

TECHNICAL INFO

DIMENSIONS

Width 75 cm / 30 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



21,3 kg / 47 Lbs

PACKAGING

This item is carefully packed per piece.



0.55 m³ - 19,4 Cbft

MAINTENANCE

<http://www.royalbotania.com/maintenance>

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL
(optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

Cushions

CUSHIONS

<http://www.royalbotania.com/cushions>



PRODUCT SHEET

NINIX LOUNGE 80 LEFT ARM MODULE

REF: NNXL 80 LT

Royal Botania^{.com}
Belgian outdoor luxury

TECHNICAL INFO

DIMENSIONS

Width 79 cm / 31 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



23,4 kg / 51,6 Lbs

PACKAGING

This item is carefully packed per piece.



0.55 m³ - 19,4 Cbft

MAINTENANCE

<http://www.royalbotania.com/maintenance>

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL
(optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

- Optional teak armrests
- Cushions

CUSHIONS

<http://www.royalbotania.com/cushions>



PRODUCT SHEET

NINIX LOUNGE 160 CENTER MODULE

REF: NNXL 160 CT

Royal Botania^{.com}
Belgian outdoor luxury

TECHNICAL INFO

DIMENSIONS

Width 150 cm / 59 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



44,7 kg / 98,5 Lbs

PACKAGING

This item is carefully packed per piece.



1,04 m³ - 36,7 Cbft

MAINTENANCE

<http://www.royalbotania.com/maintenance>

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL
(optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

Cushions

CUSHIONS

<http://www.royalbotania.com/cushions>



PRODUCT SHEET

NINIX LOUNGE 160 LEFT ARM MODULE

REF: NNXL 160 LT

Royal Botania^{.com}
Belgian outdoor luxury

TECHNICAL INFO

DIMENSIONS

Width 154 cm / 61 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



46,8 kg / 103,2 Lbs

PACKAGING

This item is carefully packed per piece.



1,04 m³ - 36,7 Cbft

MAINTENANCE

<http://www.royalbotania.com/maintenance>

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL
(optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

- Optional teak armrests
- Cushions

CUSHIONS

<http://www.royalbotania.com/cushions>



PRODUCT SHEET

NINIX LOUNGE 80 CORNER MODULE

REF: NNXL 80 CT

Royal Botania^{.com}
Belgian outdoor luxury

TECHNICAL INFO

DIMENSIONS

Width 83 cm / 33 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



29,4 kg / 64,8 Lbs

PACKAGING

This item is carefully packed per piece.



0.55 m³ - 19,4 Cbft

MAINTENANCE

<http://www.royalbotania.com/maintenance>

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL
(optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

Cushions

CUSHIONS

<http://www.royalbotania.com/cushions>



PRODUCT SHEET

NINIX LOUNGE 240 LEFT ARM MODULE

REF: NNXL 240 LT

Royal Botania^{.com}
Belgian outdoor luxury

TECHNICAL INFO

DIMENSIONS

Width 229 cm / 90 inch
Depth 83 cm / 33 inch
Height 81 cm / 32 inch



70,2 kg / 154,8 Lbs

PACKAGING

This item is carefully packed per piece.



1,54 m³ - 54,4 Cbft

MAINTENANCE

<http://www.royalbotania.com/maintenance>

MATERIALS

FRAME

STAINLESS STEEL

Brushed hairline finished Stainless Steel, type AISI304 18/08 with 18% chromium and 8% nickel.

Wall thickness of the Stainless Steel tubes: 2mm.

OPTIONAL: we recommend the electropolishing treatment of the frame if it is to be used in a corrosive environment.



STAINLESS STEEL BRUSHED



ELECTROPOLISHED STAINLESS STEEL
(optional)

COATED STAINLESS STEEL

Powdercoated stainless steel tubes (AISI304), type AISI304 18/08 with 18% chromium and 8% nickel

Wall thickness of the Stainless Steel tubes: 2mm

After a chemical pre-treatment a polyester powder is applied statically and baked (thickness: 60-80 µm).



COATED STAINLESS STEEL - WHITE



COATED STAINLESS STEEL - SAND



COATED STAINLESS STEEL - BLACK

SEAT

BATYLINE®

A woven polyester fibre protected by a PVC coating. This coating guarantees exceptional resistance to climatic conditions and UV exposure. The fact that there is no moisture absorption results in quick-drying action, little sensitivity to staining, and simplicity in cleaning.



WHITE



CAPPUCCINO



PEARL GREY



BLACK

CHARACTERISTICS

- Optional teak armrests
- Cushions

CUSHIONS

<http://www.royalbotania.com/cushions>

